

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

TROCELLEN S. E. A. SDN. BHD.
LOT 2213, BATU 9
KEBUN BARU, JALAN KASAWARI
42500 TELOK PANGLIMA GARANG
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

REFLECTIVE INSULATION

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS 2095 : 2014



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

TROCELLEN S. E. A. SDN. BHD.



Trade Mark : TROCELLEN PRO
Model : 2506W3CF4 733 + ALU-S, 2512W3CF4 733 + ALU-S, 2530W3CF4L 733 + ALU-S
Foam Density: 25 kg/m³, Grammage, kg/m²: 0.291 - 0.965
Rating : Heavy Duty, Medium Vapour Barrier, Reflective Emittance, Fire Propagation Index:
5.6, 4.0, 7.7, Surface Spread of Flame: Class One,
Thermal Resistance, m²K/W: 1.081, 1.26 & 1.33
Type : Foam base
Size : Thickness: 6mm – 30mm
Test report no.: 2016CE1230, 2016FE0108, 2016FE0109, 2016CE1231, 2016FE0253,
2016FE0107, 2016CE1232, 2016FE0254, 2016FE0105

Trade Mark : TROCELLEN PRO
Model : 3305NF4 775 + ALU-S, 3310NF4 775 + ALU-S, 3312NF4 775 + ALU-S Foam
Density: 33 kg/m³, Grammage, kg/m²: 0.285 - 0.498
Rating : Extra Heavy Duty, Medium Vapour Barrier, Reflective Emittance, Fire Propagation
Index: 6.9, 8.5, 5.9, Surface Spread of Flame: Class One, Thermal Resistance,
m²K/W: 0.731, 1.102 & 1.136
Type : Foam base
Size : Thickness: 5mm – 12mm
Test report no.: 2016CE0851, 2016FE0102, 2016FE0103, 2016CE1233, 2016FE0100,
2016FE0101, 2016CE1234, 2016FE0252, 2016FE0099

Trade Mark : TROCELLEN PRO
Model : Troc ellen Pro – AirPro Plus Foam Density: 25 kg/m³, Grammage, kg/m²: 0.259 -
1.110
Rating : Light Duty, Medium Vapour Barrier, Reflective Emittance, Fire Propagation Index:
6.6, 7.5 & 9.8, Surface Spread of Flame: Class One, Thermal Resistance, m²K/W:
1.543, 1.413 & 1.223
Type : Foam Base
Size : Thickness: 6mm – 30mm
Test report no.: 2018CE1197, 2018FE0590, 2018FE0591, 2018CE1500, 2018FE0675,
2018FE0676, 2019CE1002, 2019FE0449, 2019FE0450

SCHEDULE

TROCELLEN S. E. A. SDN. BHD.



Trade Mark : TROCELLEN PRO
Model : Trocellen Pro – HeatPro Foam Density: 33 kg/m³, Grammage, kg/m²: 0.248 - 1.016
Rating : Medium Duty, Medium Vapour Barrier, Reflective Emittance, Fire Propagation Index: 9.5, 7.3, 9.0, 9.8, Surface Spread of Flame: Class One, Thermal Resistance, m²K/W: 1.19, 1.39, 0.93, 1.17
Type : Foam Base
Size : Thickness: 5mm – 30mm
Test report no.: 2020CE0225-S1, 2020CE0491, 2020CE0490, 2020CE0492, 2020FE0157, 2020FE0158, 2020FE0159, 2020FE0160, 2020FE0161, 2020FE0162, 2020FE0163, 2020FE0164

TEST REPORT NO. : 2016CE1230, 2016FE0108, 2016FE0109, 2016CE1231, 2016FE0253, 2016FE0107, 2016CE1232, 2016FE0254, 2016FE0105, 2016CE0851, 2016FE0102, 2016FE0103, 2016CE1233, 2016FE0100, 2016FE0101, 2016CE1234, 2016FE0252, 2016FE0099, 2018CE1197, 2018FE0590, 2018FE0591, 2018CE1500, 2018FE0675, 2018FE0676, 2019CE1002, 2019FE0449, 2019FE0450, 2020CE0225-S1, 2020CE0491, 2020CE0490, 2020CE0492, 2020FE0157, 2020FE0158, 2020FE0159, 2020FE0160, 2020FE0161, 2020FE0162, 2020FE0163, 2020FE0164

End of page
