

SIJIL BARANGAN TERSENARAI

Product Listing Certificate

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**TROCELLEN S. E. A. SDN. BHD.
LOT 2213, KG BATU 9 KEBUN BARU
JALAN KASAWARI
TELOK PANGLIMA GARANG
42500 TELOK PANGLIMA GARANG
SELANGOR, MALAYSIA**

**Sijil untuk menggunakan Tanda Barangan Tersenarai
a certificate to use the Listed Product Mark on**

POLYETHYLENE FOAM LAMINATED WITH ALUMINIUM FOIL

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

**BS 476 : PART 6 : 1989 + A1 : 2009
BS 476 : PART 7 : 1997**



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

TROCELLEN S. E. A. SDN. BHD.



Trade Mark : TROCELLEN PRO
Model : 2506W3CF2 733 + ALU, 2508W3CF2 733 + ALU
Rating : Foam Density: 25 kg/m³
Fire Propagation Index: 9.9, 7.6
Surface Spread of Flame: Class One
Type : Polyethylene foam with facing material : Aluminium Foil
Size : Nominal Thickness: 6 mm, 8 mm
Test report no.: 2014FE0307, 2014FE0303, 2014FE0306, 2014FE0302

Trade Mark : TROCELLEN PRO
Model : 2506W3CF4 733 + ALU-S, 2512W3CF4 733 + ALU-S, 2530W3CF4L 733 + ALU-S
Rating : Foam Density: 25 kg/m³
Fire Propagation Index: 5.6, 4.0, 7.7
Surface Spread of Flame: CLASS ONE
Type : Polyethylene foam with facing material : Aluminium Foil
Size : Nominal Thickness: 6mm – 30mm
Test report no.: 2016FE0108, 2016FE0109, 2016FE0107, 2016FE0105, 2016FE0253, 2016FE0254

Trade Mark : TROCELLEN PRO
Model : 3305NF4 775 + ALU-S, 3310NF4 775 + ALU-S, 3312NF4 775 + ALU-S
Rating : Foam Density: 33 kg/m³
Fire Propagation Index: 6.9, 8.5, 5.9
Surface Spread of Flame: CLASS ONE
Type : Polyethylene foam with facing material : Aluminium Foil
Size : Nominal Thickness: 5mm – 12mm
Test report no.: 2016FE0102, 2016FE0103, 2016FE0100, 2016FE0101, 2016FE0252, 2016FE0099

Trade Mark : TROCELLEN PRO
Model : Trocellen Pro – AirPro Plus
Rating : Foam Density: 25 kg/m³
Fire Propagation Index: 6.6, 7.5, 9.8
Surface Spread of Flame: CLASS ONE
Type : Polyethylene foam with facing material : Aluminium Foil
Size : Nominal Thickness: 6mm – 30mm
Test report no.: 2018FE0590, 2018FE0591, 2018FE0675, 2018FE0676, 2019FE0449, 2019FE0450

SCHEDULE

TROCELLEN S. E. A. SDN. BHD.



Trade Mark : TROCELLEN PRO
Model : Trocellen Pro – HeatPro
Rating : Foam Density: 33 kg/m³
Fire Propagation Index: 9.5, 7.3, 9.0, 9.8
Surface Spread of Flame: CLASS ONE
Type : Polyethylene foam with facing material : Aluminium Foil
Size : Thickness: 5mm – 30mm
Test report no.: 2020FE0157, 2020FE0158, 2020FE0159, 2020FE0160, 2020FE0161,
2020FE0162, 2020FE0163, 2020FE0164

TEST REPORT NO. : 2014FE0307, 2014FE0303, 2014FE0306, 2014FE0302,
2016FE0108, 2016FE0109, 2016FE0253, 2016FE0107,
2016FE0254, 2016FE0105, 2016FE0102, 2016FE0103,
2016FE0100, 2016FE0101, 2016FE0252, 2016FE0099,
2018FE0590, 2018FE0591, 2018FE0675, 2018FE0676,
2019FE0449, 2019FE0450, 2020FE0157, 2020FE0158,
2020FE0159, 2020FE0160, 2020FE0161, 2020FE0162,
2020FE0163, 2020FE0164

End of page
