No Lesen : **PC002745**
Licence No :

LESEN PENSIJILAN BARANGAN
Product Certification Licence

SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

TROCELLEN S. E. A. SDN. BHD.
LOT 2213, BATU 9
KEBUN BARU, JALAN KASAWARI
42500 TELOK PANGLIMA GARANG
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

REFLECTIVE INSULATION

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS 2095 : 2022

Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

https://www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan	**: 20 January 2017**	**Tarikh Dikeluarkan**	**: 27 January 2025**
Certified Since		*Issue Date*	
Sah Sehingga	**: 20 January 2026**	**No Siri**	: 107520
Valid Until		*Serial No*	

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

No Lesen : **PC002745**
Licence No :

SCHEDULE

TROCELLEN S. E. A. SDN. BHD.

SIRIM

Trade Mark : TROCELLEN PRO
Model : 2506W3CF4 733 + ALU-S, 2512W3CF4 733 + ALU-S, 2530W3CF4L 733 + ALU-S
Foam Density: 25 kg/m³, Grammage, kg/m²: 0.291 - 0.965
Rating : Heavy Duty, Medium Vapour Barrier, Reflective Emittance, Fire Propagation Index: 5.6, 4.0, 7.7, Surface Spread of Flame: Class One,
Thermal Resistance, m²K/W: 0.524, 0.998 & 1.522
Type : Foam base
Size : Thickness: 6mm – 30mm
Test report no.: 2016CE1230, 2016FE0108, 2016FE0109, 2016CE1231, 2016FE0253, 2016FE0107, 2016CE1232, 2016FE0254, 2016FE0105, 2024CB0165, 2024CB0166, 2024CB0167

Trade Mark : TROCELLEN PRO
Model : 3305NF4 775 + ALU-S, 3310NF4 775 + ALU-S, 3312NF4 775 + ALU-S
Foam Density: 33 kg/m³, Grammage, kg/m²: 0.285 - 0.498
Rating : Extra Heavy Duty, Medium Vapour Barrier, Reflective Emittance, Fire Propagation Index: 6.9, 8.5, 5.9, Surface Spread of Flame: Class One, Thermal Resistance, m²K/W: 0.731, 1.102 & 1.136
Type : Foam base
Size : Thickness: 5mm – 12mm
Test report no.: 2016CE0851, 2016FE0102, 2016FE0103, 2016CE1233, 2016FE0100, 2016FE0101, 2016CE1234, 2016FE0252, 2016FE0099

Trade Mark : TROCELLEN PRO
Model : Trocellen Pro – AirPro Plus
Foam Density: 25 kg/m³, Grammage, kg/m²: 0.259 - 1.110
Rating : Light Duty, Medium Vapour Barrier, Reflective Emittance, Fire Propagation Index: 6.6, 7.5 & 9.8, Surface Spread of Flame: Class One, Thermal Resistance, m²K/W: 1.718, 1.800, 1.949
Type : Foam Base
Size : Thickness: 6mm – 30mm
Test report no.: 2018CE1197, 2018FE0590, 2018FE0591, 2018CE1500, 2018FE0675, 2018FE0676, 2019CE1002, 2019FE0449, 2019FE0450, 2024CB0168, 2024CB0169, 2024CB0137

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

https://www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan	**: 20 January 2017**	**Tarikh Dikeluarkan**	**: 27 January 2025**
Certified Since		*Issue Date*	
Sah Sehingga	**: 20 January 2026**	**No Siri**	: 107520
Valid Until		*Serial No*	

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

No Lesen : **PC002745**
Licence No :

SCHEDULE

TROCELLEN S. E. A. SDN. BHD.

SIRIM

Trade Mark	: TROCELLEN PRO
Model	: Trocellen Pro – HeatPro Foam Density: 33 kg/m³, Grammage, kg/m²: 0.248 - 1.016
Rating	: Medium Duty, Medium Vapour Barrier, Reflective Emittance, Fire Propagation Index: 9.5, 7.3, 9.0, 9.8, Surface Spread of Flame: Class One, Thermal Resistance, m²K/W: 1.156, 1.203, 1.703
Type	: Foam Base
Size	: Thickness: 5mm – 30mm

Test report no.: 2020CE0225-S1, 2020CE0491, 2020CE0490, 2020CE0492, 2020FE0157, 2020FE0158, 2020FE0159, 2020FE0160, 2020FE0161, 2020FE0162, 2020FE0163, 2020FE0164, 2024CB0138, 2024CB0129, 2024CB0130

TEST REPORT NO. : 2016CE1230, 2016FE0108, 2016FE0109, 2016CE1231, 2016FE0253, 2016FE0107, 2016CE1232, 2016FE0254, 2016FE0105, 2016CE0851, 2016FE0102, 2016FE0103, 2016CE1233, 2016FE0100, 2016FE0101, 2016CE1234, 2016FE0252, 2016FE0099, 2018CE1197, 2018FE0590, 2018FE0591, 2018CE1500, 2018FE0675, 2018FE0676, 2019CE1002, 2019FE0449, 2019FE0450, 2020CE0225-S1, 2020CE0491, 2020CE0490, 2020CE0492, 2020FE0157, 2020FE0158, 2020FE0159, 2020FE0160, 2020FE0161, 2020FE0162, 2020FE0163, 2020FE0164, 2024CB0165, 2024CB0166, 2024CB0167, 2024CB0168, 2024CB0169, 2024CB0137, 2024CB0138, 2024CB0129, 2024CB0130

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

https://www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan	**: 20 January 2017**	**Tarikh Dikeluarkan**	**: 27 January 2025**
Certified Since		*Issue Date*	
Sah Sehingga	**: 20 January 2026**	**No Siri**	: 107520
Valid Until		*Serial No*	

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.